

Посудомоечные машины ELITE 400 BDD, ELITE 410 BDD

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ohn@nt-rt.ru || сайт: <http://omniwash.nt-rt.ru/>

ELITE 400 BDD OMNIWASH



The Elite Line presents a wide range of quality products, consisting of glasswashers, dishwashers with single and double tank and utensil washers. Designed to offer excellent washing results, the appliances in the Elite Line perfectly meet the needs of ease of use, low operating costs and long life.

A flexible range for any space

The Elite Omniwash Line is the ideal solution for any space. Appliances with a 400 or 500mm rack, perfect for under-the-counter installation, join the 4SA and 4SB front-loading dishwashers, while the powerful 4SC utensil washer with its 500x620mm stainless steel rack is the optimal solution for washing very dirty dishes. In places where space permits, the Elite Line also offers the possibility of choosing between two models of hood dishwashers, 6 2P and 6 2P/S which, with 2 washing pumps of 1HP each, guarantee truly incredible performance.

Perfect clean, always

All the machines in the Elite line use directly produced washing pumps, so as to guarantee the best performance, wash after wash.

The 4SC utensil washers, the 4SA front loading dishwashers and the 6 2P and 6 2P/S hood dishwashers are fitted as standard with an incredible washing system, equipped with 2 pumps of 1HP each.

Last but not least, the powerful 1HP washing pump also installed in the Elite 4SB, 500 and 503 models ensures unparalleled results.

Perfectly clean dishes are obtained only with a constant and powerful rinse. The rinse boiler of the Elite line offers an exclusive rinse temperature maintenance system, guaranteeing the best results.

Impellers and washing jets, together with the powerful and exclusive Omniwash pumps, perform a highly performing action, to ensure perfectly clean dishes on any occasion.

The Interlock Omniwash device allows the rinse cycle to be carried out only when the set temperatures are reached, to guarantee the best hygiene standards.

The glasswashers of the Elite Omniwash line are equipped with a Cold Rinse button. In crowded bars, when a quick rotation of cups and saucers is needed, this device allows a quick reuse of the dishes, without long waiting times. Upon request, the Elite 400 and 500 models are also available with an internal softener.

The elimination of calcium and magnesium, which are naturally present in the water, allows in fact to obtain purified water, essential for perfect cleaning.

Simple to use, simple to clean

The machines in the Elite Line are synonymous with simplicity.
The control panel is easy to use, so as to facilitate the user's tasks.

Wash and rinse impellers that are simple to extract and easy to clean. Surface filters that do not allow dirt and food residues to enter. On request, possibility of washing impellers and surface filters in stainless steel.

TECHNICAL FEATURES

Power supply
1x230V/50Hz
Washing pump power
Kw 0.45 (HP 0.60)
Washing pump flow rate
lt. 240/min
Boiler resistance
W2700
Tank resistance
W 1800
Maximum absorbed power
W 3150
Tank capacity
lt. 14
Boiler capacity
lt. 5.5
Wash/rinse temperature
55°/ 85°
Cycle duration
120
Cycles now
30
Supply pressure
bars 2 ÷ 4
Filling/draining pipe Ø (internal Ø)
3/4" / 25
Supply water
Max 50°C
Noise level
< 60 dBA
Round basket measures
Ø410
Square basket measurements
400x400
Hourly production (glasses)
1000÷1200
Hourly production (dishes)
240
Net weight
38 kg

ELITE 410 BDD OMNIWASH



The Elite Line presents a wide range of quality products, consisting of glasswashers, dishwashers with single and double tank and utensil washers. Designed to offer excellent washing results, the appliances in the Elite Line perfectly meet the needs of ease of use, low operating costs and long life.

A flexible range for any space

The Elite Omniwash Line is the ideal solution for any space. Appliances with a 400 or 500mm rack, perfect for under-the-counter installation, join the 4SA and 4SB front-loading dishwashers, while the powerful 4SC utensil washer with its 500x620mm stainless steel rack is the optimal solution for washing very dirty dishes. In places where space permits, the Elite Line also offers the possibility of choosing between two models of hood dishwashers, 6 2P and 6 2P/S which, with 2 washing pumps of 1HP each, guarantee truly incredible performance.

Perfect clean, always

All the machines in the Elite line use directly produced washing pumps, so as to guarantee the best performance, wash after wash.

The 4SC utensil washers, the 4SA front loading dishwashers and the 6 2P and 6 2P/S hood dishwashers are fitted as standard with an incredible washing system, equipped with 2 pumps of 1HP each.

Last but not least, the powerful 1HP washing pump also installed in the Elite 4SB, 500 and 503 models ensures unparalleled results.

Perfectly clean dishes are obtained only with a constant and powerful rinse. The rinse boiler of the Elite line offers an exclusive rinse temperature maintenance system, guaranteeing the best results.

Impellers and washing jets, together with the powerful and exclusive Omniwash pumps, perform a highly performing action, to ensure perfectly clean dishes on any occasion.

The Interlock Omniwash device allows the rinse cycle to be carried out only when the set temperatures are reached, to guarantee the best hygiene standards.

The glasswashers of the Elite Omniwash line are equipped with a Cold Rinse button. In crowded bars, when a quick rotation of cups and saucers is needed, this device allows a quick reuse of the dishes, without long waiting times. Upon request, the Elite 400 and 500 models are also available with an internal softener.

Low maintenance costs

Today more than ever, it is important to ensure low maintenance costs of the machines. The peristaltic pumps of the Omniwash dispensers accurately control the consumption of detergents while the surface filters, positioned in the tank, help keep the washing water cleaner for longer. Special Incoloy heating elements, exceptional for their rapid heating qualities, offer an important reduction in electricity consumption.

The Omniwash Washing Pumps, the heart of our machines. Special and exclusive, they are designed and built to last over time, directly by us, within our company.

TECHNICAL FEATURES

Power supply

1x230V/50Hz

Washing pump power

Kw 0.45 (HP 0.60)

Washing pump flow rate

lt. 240/min

Boiler resistance

W2700

Tank resistance

W 1800

Maximum absorbed power

W 3150

Tank capacity

lt. 14

Boiler capacity

lt. 5.5

Wash/rinse temperature

55°/ 85°

Cycle duration

120

Cycles now

30

Supply pressure

bars 2 ÷ 4

Filling/draining pipe Ø (internal Ø)

3/4" / 25

Supply water

Max 50°C

Noise level

< 60 dBA

Round basket measures

Ø410

Square basket measurements

400x400

Hourly production (glasses)

1000÷1200

Hourly production (dishes)

240

Net weight

38 kg



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ohn@nt-rt.ru || сайт: <http://omniwash.nt-rt.ru/>